



Powered by Intel  
Pentium, Core i3, Xeon E3-1200v5

### DL20 Gen9 4SFF




Powered by Intel  
Pentium, Core i3, Xeon E3-1200v5

### DL20 Gen9 NHP 2LFF




Powered by Intel  
Pentium, Core i3, Xeon E3-1200v5

### DL20 Gen9 2LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL60 Gen9 NHP 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL60 Gen9 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL80 Gen9 NHP 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL80 Gen9 8LFF



Powered by Intel  
Xeon E5-2600 v3/v4

### DL80 Gen9 12LFF



## HP ProLiant DL10 Servers

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.


The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Built with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)


Powered by Intel  
Xeon E5-2600 v3/v4

### DL120 Gen9 8SFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL120 Gen9 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL120 Gen9 NHP 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL160 Gen9 8SFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL160 Gen9 4LFF



Powered by Intel  
Xeon E5-2600 v3/v4

### DL160 Gen9 NHP 4LFF



## HP ProLiant DL100 Servers

Page 1/2

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.


The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Built with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)


Powered by Intel  
Xeon E5-2600 v3/v4

### DL180 Gen9 NHP 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL180 Gen9 NHP 8LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL180 Gen9 8LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL180 Gen9 8SFF



Powered by Intel  
Xeon E5-2600 v3/v4

### DL180 Gen9 12LFF



## HP ProLiant DL100 Servers

Page 2/2

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.


The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Built with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)


Powered by Intel  
Xeon E5-2600 v3/v4

### DL360 Gen9 4LFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL360 Gen9 8SFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL380 Gen9 8SFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL380 Gen9 8SSF + NVMe 6SSD




Powered by Intel  
Xeon E5-2600 v3/v4

### DL380 Gen9 24SFF




Powered by Intel  
Xeon E5-2600 v3/v4

### DL380 Gen9 4LFF



Powered by Intel  
Xeon E5-2600 v3/v4

### DL380 Gen9 12LFF



## HP ProLiant DL300 Servers

Page 1/2

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.


The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Build with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)


Powered by AMD  
Opteron 6300

### DL385p Gen8 8SFF




Powered by AMD  
Opteron 6300

### DL385p Gen8 8LFF




Powered by AMD  
Opteron 6300

### DL385p Gen8 12LFF



Powered by AMD  
Opteron 6300

### DL385p Gen8 25SFF



## HP ProLiant DL300 Servers

Page 2/2

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.


The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Built with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)


Powered by Intel  
Xeon E5-4600 v3/v4

## DL560 Gen9



Powered by Intel  
Xeon E7-4800/8800 v3/v4

## DL580 Gen9



## HP ProLiant DL500 Servers

**Note:** HS = Hot Swap  
HP = Hot Plug  
NHP = Non-Hot Plug

This Visual Solution Document is deemed to be valid and accurate as of the date shown below.

The information contained herein is subject to change without notice and is provided "as is" without warranty of any kind. Please consult the Product QuickSpecs Documents on [www.hp.com](http://www.hp.com) for any updates to the product information contained herein after the date shown below.



Built with the latest Logical shapes from the Visio Café - Download the latest HP Intel Stencils to get the shapes used above to create your own customized Visual Solution Documents - Feedback: [info@visiocafe.com](mailto:info@visiocafe.com)