

Internal Options:

CPU 177666-B21
3rd - 8th CPU

512MB 328807-B21

1GB 328808-B21

2GB 328809-B21

142673 142673-B22
18GB 10k

188122 188122-B22
18GB 15k

176496 176496-B22
36GB 10k

232432 232432-B22
72GB 10k

216886 216886-B21
AIT 35/70GB Hot Plug

157866-021 157866-021
Lights out mgr 33MHz


158575-B21 158575-B21
NC7131 Gigabit 64-bit/66MHz

138603-B21 138603-B21
NC3134 Ethernet, Dual 64-bit/66MHz

158939-B21 158939-B21
Smart Array 5304/128 64-Bit/66MHz

176479-B21 176479-B21
FibreChannel adapter 64-bit/33MHz

Pentium III Xeon 900MHz 4P 212692-421





To Fibre Channel Storage

BOM of the system above

	Part Number	Qty	Description
1	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
1.1	157866-021	1	CPQ Remote Insight manager kit
1.2	176479-B21	1	Host Buss Cntrl KGPSA-CB,NT only
1.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	232916-B22	4	36GB 15000r Ultra3 SCSI disk 1"
1.5	328809-B21	6	2GB 100MHz ECC SDRAM DIMM (2x1024MB)

Pentium III Xeon 900MHz 4P 212692-421



DL760

Space for:
2xDisk or
1xTape

www.Compaq.com/golden-eggs

Since: Nov-2001

COMPAQ

28-Nov-2001 GEIDL760a


Matti.Patari@compaq.com

DL760 8P


ProLiant DL760 4P PIII X900 2M
GOLDEN EGGS Visuals, Helsinki

Pentium III Xeon
900MHz 4P


212692-421




RAID 4ch




SCSI cables VHDCI - VHDCI
12ft included in M43xx




DL760



M4354R



M4314R



M4314R

119826-B21 2nd pwr

119826-B21 2nd pwr


Bill of material

	Part Number	Qty	Description
1	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
1.1	157866-021	1	CPQ Remote Insight manager kit
1.2	158939-B21	1	Smart Array 5304/128MB,Ultra3 4-chan
1.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	232916-B22	4	36GB 15000r Ultra3 SCSI disk 1"
1.5	328809-B21	6	2GB 100MHz ECC SDRAM DIMM(2x1024MB)
2	190209-B31	1	Modula M4314R single buss,14x 1.0"
2.1	176496-B22	10	36GB 10000r Ultra3 SCSI disk 1"
3	190209-B31	1	Modula M4314R single buss,14x 1.0"
3.1	176496-B22	14	36GB 10000r Ultra3 SCSI disk 1"
4	190211-B31	1	Modula M4354R dual buss, 7+7, 1.0"
4.1	232432-B22	8	72.8GB 10000r Ultra3 SCSI disk 1"
5	119826-B21	2	Modula M42/314R 2nd power supply


Compaq ProLiant DL760 8P

Pentium III Xeon
900MHz 4P


212692-421



RAID 2ch



SCSI cables VHDCI - VHDCI
12ft included in M43xx



DL760



M4354R



M4314R

Bill of material

	Part Number	Qty	Description
1	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
1.1	124992-B21	1	Smart Array 5302/64MB,Ultra3 2-chan
1.2	157866-021	1	CPQ Remote Insight manager kit
1.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	216886-B21	1	35/70GB Hot plug AIT tape drive
1.5	232916-B22	2	36GB 15000r Ultra3 SCSI disk 1"
1.6	328808-B21	2	1GB 100MHz ECC SDRAM DIMM(2x512MB)
2	190211-B31	1	Modula M4354R dual buss, 7+7, 1.0"
2.1	232432-B22	8	72.8GB 10000r Ultra3 SCSI disk 1"

www.Compaq.com/golden-eggs

Since:Nov-2001


COMPAQ

28-Nov-2001 GTIDL760a

Matti.Patari@Compaq.com

ProLiant DL760 4P Entry System
GOLDEN EGGS Visuals, Helsinki


DL760 8P



DL760

213076-B21 Secure Path W2k
Needed for each node
if NOT clustered.

136127-B21 Rack kit for Hub7




RA4100

Compaq ProLiant DL760 8P


Pentium III Xeon
900MHz 4P

212692-421




FC-HUB

RAID RA4100



Pentium III Xeon
900MHz 4P

212692-421



BOM of this Cluster

	Part Number	Qty	Description
1	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
1.1	120186-B21	2	FC Host Adapter kit PCI 64bit/66MHz
1.2	157866-021	1	CPQ Remote Insight manager kit
1.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	232916-B22	2	36GB 15000r Ultra3 SCSI disk 1"
1.5	328808-B21	2	1GB 100MHz ECC SDRAM DIMM(2x512MB)
2	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
2.1	120186-B21	2	FC Host Adapter kit PCI 64bit/66MHz
2.2	157866-021	1	CPQ Remote Insight manager kit
2.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
2.4	232916-B22	2	36GB 15000r Ultra3 SCSI disk 1"
2.5	328808-B21	2	1GB 100MHz ECC SDRAM DIMM(2x512MB)
3	146013-B31	1	RAID Array 4100 64MB Rack 4U
3.1	223187-B21	1	RA4000 Redundant Controller
3.2	232432-B22	12	72.8GB 10000r Ultra3 SCSI disk 1"
4	146013-B31	1	RAID Array 4100 64MB Rack 4U
4.1	223187-B21	1	RA4000 Redundant Controller
4.2	232432-B22	8	72.8GB 10000r Ultra3 SCSI disk 1"
5	234453-B31	2	Fibre Channel Hub 7 Ports International
6	136127-B21	1	Rack mount kit for Hub 7,universal
7	380357-B23	1	ProLiant HA/F200 Cluster kit NT/W2k

www.Compaq.com/golden-eggs

Since:Nov-2001


COMPAQ

28-Nov-2001 GTIDL760b1
Matti.Patari@Compaq.com

ProLiant DL760 4P FC-Hb/RA4100
GOLDEN EGGS Visuals, Helsinki

DL760 8P

Compaq ProLiant DL760 8P




167365-B21 Rack kit for SANsw

167365-B21 Rack kit for SANsw



DL760





RA4100

Note:
Each RA4100 is reserved
for a Cluster of its own,
for two hosts.

FC-Switch

RAID RA4100
1 to 4



BOM, one pair of DL760s/Cluster

	Part Number	Qty	Description
1	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
1.1	120186-B21	2	FC Host Adapter kit PCI 64bit/66MHz
1.2	157866-021	1	CPQ Remote Insight manager kit
1.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	232916-B22	4	36GB 15000r Ultra3 SCSI disk 1"
1.5	328809-B21	2	2GB 100MHz ECC SDRAM DIMM(2x1024MB)
2	212692-421	1	ProLiant DL760 4P 900MHz 2GB rack 7U
2.1	120186-B21	2	FC Host Adapter kit PCI 64bit/66MHz
2.2	157866-021	1	CPQ Remote Insight manager kit
2.3	177666-B21	4	Pentium III Xeon 900-2MB processor kit
2.4	232916-B22	4	36GB 15000r Ultra3 SCSI disk 1"
2.5	328809-B21	2	2GB 100MHz ECC SDRAM DIMM(2x1024MB)
3	380357-B23	1	ProLiant HA/F200 Cluster kit NT/W2k

BOM of external storage

	Part Number	Qty	Description
1	146013-B31	1	RAID Array 4100 64MB Rack 4U
1.1	223187-B21	1	RA4000 Redundant Controller
1.2	232432-B22	12	72.8GB 10000r Ultra3 SCSI disk 1"
2	146013-B31	1	RAID Array 4100 64MB Rack 4U
2.1	223187-B21	1	RA4000 Redundant Controller
2.2	232432-B22	8	72.8GB 10000r Ultra3 SCSI disk 1"
3	177862-B21	2	Fibre Channel SW FC-AL Switch 8
4	167365-B21	2	Rack mount kit for SAN switch

www.Compaq.com/golden-eggs

Since: Nov-2001

COMPAQ



28-Nov-2001 GTIDL760b2

Matti.Patari@Compaq.com

ProLiant DL760 4P FC-Sw/RA4100
GOLDEN EGGS Visuals, Helsinki

```
Host kit: NT
222322-B21 NT/IntKIT

165989-B21 SecPath V3.1a NT 1-lic
```



Pentium III Xeon
900MHz 4P 212 692-421

Memory

2GB 2GB 2GB 2GB 1GB 1GB

8-Way

ATI Rage XL PWR PWR

NC 3134 133MHz

3x PCI 33MHz

6x PCI-X 66MHz

VHDCI

ROC RAID Wide-Ultra2

232916 36GB 232916 36GB

4x Ultra3, Hot plug

ProLiant DL760



	Part Number	Qty	Description
1	212692-421	1	ProLiAnt DL760 4P 900MHz 2GB rack 7U
1.1	175866-021	1	CPQ Remote Insight manager kit
1.2	176479-B21	2	Host Buss Cntrl KGPSA-CB,NT only
1.3	176666-B21	4	Pentium III Xeon 900-2MB processor kit
1.4	232916-B22	2	36GB 15000U Ultra3 SCSI disk 1"
1.5	328809-B21	4	2GB 100MHz ECC SDRAM DIMM(2x1024MB)
2	212692-421	1	ProLiAnt DL760 4P 900MHz 2GB rack 7U
2.1	175866-021	1	CPQ Remote Insight manager kit
2.2	176479-B21	2	Host Buss Cntrl KGPSA-CB,NT only
2.3	176666-B21	4	Pentium III Xeon 900-2MB processor kit
2.4	232916-B22	2	36GB 15000U Ultra3 SCSI disk 1"
2.5	328809-B21	4	2GB 100MHz ECC SDRAM DIMM(2x1024MB)
3	165893-B21	1	Secure Path V3 is for NT/NTK 1-licen
4	223232-B21	1	OS Platf.SGL ACS 8.6 FC NW/Intel

	Part Number	Qty	Description
1	175991-B22	1	EWAL2000 S14 360 50Hz opal
1.1	135823-B21	2	HSGxx Single external cache battery
1.2	176622-B21	1	HSG80 FC Contr with 256MB cache
1.2.1	380674-B21	1	Cache Upg RA8k ESA12k 256MB
1.3	176622-B21	1	HSG80 FC Contr with 256MB cache
1.3.1	380674-B21	1	Cache Upg RA8k ESA12k 256MB
1.4	222318-B21	2	ACS V8.6F controller FCAL/PCSW
1.5	232432-B22	80	72.8GB 10000r Ultra3 SCSI disk 1"
2	158222-B21	1	SAN Switch 8 Ports
2.1	380561-B21	4	FC Optical Short Wave GBIC 500
3	158222-B21	1	SAN Switch 8 Ports
3.1	380561-B21	4	FC Optical Short Wave GBIC 500
4	160407-B21	2	SAN switch redundant power supply
5	167365-B21	2	Rack mount kit for SAN switch
6	234457-B23	4	Fibre Channel 15m Optical Cable
7	234457-B21	4	Fibre Channel 02m Optical Cable

COMPAQ

Matti.Patari@Compaq.com

DL760 8P

GOLDEN EGGS

World Services

Alpha Examples

<http://www.compaq.com/golden-eggs>

GOLDEN EGGS

World Station

Software kits

<http://www.compaq.com/info/golden-eggs/software>

GOLDEN EGGS in eBusiness since 1988

COMPAQ

21-Jun-2000 GE-Internet

Matti.Patari@compaq.com

GOLDEN EGGS Internet Outlets
GOLDEN EGGS Visuals, Helsinki